


**PRICE LIST - HT Pro**
**W.E.F APRIL 2026**

| Images                                                                                                                                                                   | Item Code    | Description                        | Category                | DN  | STD. PACK SIZE | List Price |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------|-------------------------|-----|----------------|------------|
| <b>Single Socket Pipe</b>                                                                                                                                                |              |                                    |                         |     |                |            |
|                                                                                          | 54040300-i   | HT PRO PIPE WITH ONE SOCKET L 3000 | HT PRO S/S PIPE 3 Mtr   | 40  | 1              | 567        |
|                                                                                                                                                                          | 54050300-i   | HT PRO PIPE WITH ONE SOCKET L 3000 | HT PRO S/S PIPE 3 Mtr   | 50  | 1              | 739        |
|                                                                                                                                                                          | 54075300-i   | HT PRO PIPE WITH ONE SOCKET L 3000 | HT PRO S/S PIPE 3 Mtr   | 75  | 1              | 1304       |
|                                                                                                                                                                          | 540110300-i  | HT PRO PIPE WITH ONE SOCKET L 3000 | HT PRO S/S PIPE 3 Mtr   | 110 | 1              | 1751       |
|                                                                                                                                                                          | 540125300-i  | HT PRO PIPE WITH ONE SOCKET L 3000 | HT PRO S/S PIPE 3 Mtr   | 125 | 1              | 3400       |
|                                                                                                                                                                          | 540160300-i  | HT PRO PIPE WITH ONE SOCKET L 3000 | HT PRO S/S PIPE 3 Mtr   | 160 | 1              | 4116       |
|                                                                                                                                                                          | 540200300-i  | HT PRO PIPE WITH ONE SOCKET L 3000 | HT PRO S/S PIPE 3 Mtr   | 200 | 1              | 8303       |
| <b>Double Socket Pipe</b>                                                                                                                                                |              |                                    |                         |     |                |            |
|                                                                                         | 5404040300-i | HT PRO PIPE WITH TWO SOCKET L 3000 | HT PRO D/S PIPE 3 Mtr   | 40  | 1              | 588        |
|                                                                                                                                                                          | 5405050300-i | HT PRO PIPE WITH TWO SOCKET L 3000 | HT PRO D/S PIPE 3 Mtr   | 50  | 1              | 768        |
|                                                                                                                                                                          | 5407575300-i | HT PRO PIPE WITH TWO SOCKET L 3000 | HT PRO D/S PIPE 3 Mtr   | 75  | 1              | 1344       |
|                                                                                                                                                                          | 5401111300-i | HT PRO PIPE WITH TWO SOCKET L 3000 | HT PRO D/S PIPE 3 Mtr   | 110 | 1              | 2063       |
|                                                                                                                                                                          | 5401212300-i | HT PRO PIPE WITH TWO SOCKET L 3000 | HT PRO D/S PIPE 3 Mtr   | 125 | 1              | 3518       |
|                                                                                                                                                                          | 5401616300-i | HT PRO PIPE WITH TWO SOCKET L 3000 | HT PRO D/S PIPE 3 Mtr   | 160 | 1              | 4268       |
| <b>Special Length Single Socket Pipe</b>                                                                                                                                 |              |                                    |                         |     |                |            |
|                                                                                        | 5404000025-i | HT PRO PIPE WITH ONE SOCKET L 250  | HT PRO S/S PIPE 1 Ft.   | 40  | 1              | 77         |
|                                                                                                                                                                          | 5405000025-i | HT PRO PIPE WITH ONE SOCKET L 250  | HT PRO S/S PIPE 1 Ft.   | 50  | 1              | 88         |
|                                                                                                                                                                          | 5407500025-i | HT PRO PIPE WITH ONE SOCKET L 250  | HT PRO S/S PIPE 1 Ft.   | 75  | 1              | 147        |
|                                                                                                                                                                          | 5401100025-i | HT PRO PIPE WITH ONE SOCKET L 250  | HT PRO S/S PIPE 1 Ft.   | 110 | 1              | 243        |
|                                                                                                                                                                          | 5401200025-i | HT PRO PIPE WITH ONE SOCKET L 250  | HT PRO S/S PIPE 1 Ft.   | 125 | 1              | 392        |
|                                                                                                                                                                          | 5401600025-i | HT PRO PIPE WITH ONE SOCKET L 250  | HT PRO S/S PIPE 1 Ft.   | 160 | 1              | 483        |
|                                                                                                                                                                          | 54040050-i   | HT PRO PIPE WITH ONE SOCKET L 500  | HT PRO S/S PIPE 1.5 Ft. | 40  | 1              | 113        |
|                                                                                                                                                                          | 54050050-i   | HT PRO PIPE WITH ONE SOCKET L 500  | HT PRO S/S PIPE 1.5 Ft. | 50  | 1              | 147        |
|                                                                                                                                                                          | 54075050-i   | HT PRO PIPE WITH ONE SOCKET L 500  | HT PRO S/S PIPE 1.5 Ft. | 75  | 1              | 252        |
|                                                                                                                                                                          | 540110050-i  | HT PRO PIPE WITH ONE SOCKET L 500  | HT PRO S/S PIPE 1.5 Ft. | 110 | 1              | 411        |
|                                                                                                                                                                          | 540125050-i  | HT PRO PIPE WITH ONE SOCKET L 500  | HT PRO S/S PIPE 1.5 Ft. | 125 | 1              | 664        |
|                                                                                                                                                                          | 540160050-i  | HT PRO PIPE WITH ONE SOCKET L 500  | HT PRO S/S PIPE 1.5 Ft. | 160 | 1              | 812        |
|                                                                                                                                                                          | 54040100-i   | HT PRO PIPE WITH ONE SOCKET L 1000 | HT PRO S/S PIPE 3.0 Ft. | 40  | 1              | 204        |
|                                                                                                                                                                          | 54050100-i   | HT PRO PIPE WITH ONE SOCKET L 1000 | HT PRO S/S PIPE 3.0 Ft. | 50  | 1              | 266        |
|                                                                                                                                                                          | 54075100-i   | HT PRO PIPE WITH ONE SOCKET L 1000 | HT PRO S/S PIPE 3.0 Ft. | 75  | 1              | 462        |
|                                                                                                                                                                          | 540110100-i  | HT PRO PIPE WITH ONE SOCKET L 1000 | HT PRO S/S PIPE 3.0 Ft. | 110 | 1              | 747        |
|                                                                                                                                                                          | 540125100-i  | HT PRO PIPE WITH ONE SOCKET L 1000 | HT PRO S/S PIPE 3.0 Ft. | 125 | 1              | 1212       |
|                                                                                                                                                                          | 540160100-i  | HT PRO PIPE WITH ONE SOCKET L 1000 | HT PRO S/S PIPE 3.0 Ft. | 160 | 1              | 1474       |
|                                                                                                                                                                          | 54040150-i   | HT PRO PIPE WITH ONE SOCKET L 1500 | HT PRO S/S PIPE 4.5 Ft. | 40  | 1              | 294        |
|                                                                                                                                                                          | 54050150-i   | HT PRO PIPE WITH ONE SOCKET L 1500 | HT PRO S/S PIPE 4.5 Ft. | 50  | 1              | 384        |
|                                                                                                                                                                          | 54075150-i   | HT PRO PIPE WITH ONE SOCKET L 1500 | HT PRO S/S PIPE 4.5 Ft. | 75  | 1              | 672        |
|                                                                                                                                                                          | 540110150-i  | HT PRO PIPE WITH ONE SOCKET L 1500 | HT PRO S/S PIPE 4.5 Ft. | 110 | 1              | 1085       |
|                                                                                                                                                                          | 540125150-i  | HT PRO PIPE WITH ONE SOCKET L 1500 | HT PRO S/S PIPE 4.5 Ft. | 125 | 1              | 1759       |
|                                                                                                                                                                          | 540160150-i  | HT PRO PIPE WITH ONE SOCKET L 1500 | HT PRO S/S PIPE 4.5 Ft. | 160 | 1              | 2134       |
|                                                                                                                                                                          | 54040200-i   | HT PRO PIPE WITH ONE SOCKET L 2000 | HT PRO S/S PIPE 6.0 Ft. | 40  | 1              | 385        |
|                                                                                                                                                                          | 54050200-i   | HT PRO PIPE WITH ONE SOCKET L 2000 | HT PRO S/S PIPE 6.0 Ft. | 50  | 1              | 503        |
|                                                                                                                                                                          | 54075200-i   | HT PRO PIPE WITH ONE SOCKET L 2000 | HT PRO S/S PIPE 6.0 Ft. | 75  | 1              | 882        |
|                                                                                                                                                                          | 540110200-i  | HT PRO PIPE WITH ONE SOCKET L 2000 | HT PRO S/S PIPE 6.0 Ft. | 110 | 1              | 1421       |
|                                                                                                                                                                          | 540125200-i  | HT PRO PIPE WITH ONE SOCKET L 2000 | HT PRO S/S PIPE 6.0 Ft. | 125 | 1              | 2307       |
|                                                                                                                                                                          | 540160200-i  | HT PRO PIPE WITH ONE SOCKET L 2000 | HT PRO S/S PIPE 6.0 Ft. | 160 | 1              | 2796       |
| <b>Special Length Double Socket Pipe</b>                                                                                                                                 |              |                                    |                         |     |                |            |
| <br> | 5404040050-i | HT PRO PIPE WITH TWO SOCKET L 500  | HT PRO D/S PIPE 1.5 Ft. | 40  | 1              | 134        |
|                                                                                                                                                                          | 540505050-i  | HT PRO PIPE WITH TWO SOCKET L 500  | HT PRO D/S PIPE 1.5 Ft. | 50  | 1              | 175        |
|                                                                                                                                                                          | 5407575050-i | HT PRO PIPE WITH TWO SOCKET L 500  | HT PRO D/S PIPE 1.5 Ft. | 75  | 1              | 292        |
|                                                                                                                                                                          | 5401111050-i | HT PRO PIPE WITH TWO SOCKET L 500  | HT PRO D/S PIPE 1.5 Ft. | 110 | 1              | 484        |
|                                                                                                                                                                          | 5401212050-i | HT PRO PIPE WITH TWO SOCKET L 500  | HT PRO D/S PIPE 1.5 Ft. | 125 | 1              | 782        |
|                                                                                                                                                                          | 5401616050-i | HT PRO PIPE WITH TWO SOCKET L 500  | HT PRO D/S PIPE 1.5 Ft. | 160 | 1              | 964        |
|                                                                                                                                                                          | 5404040100-i | HT PRO PIPE WITH TWO SOCKET L 1000 | HT PRO D/S PIPE 3.0 Ft. | 40  | 1              | 224        |
|                                                                                                                                                                          | 5405050100-i | HT PRO PIPE WITH TWO SOCKET L 1000 | HT PRO D/S PIPE 3.0 Ft. | 50  | 1              | 293        |
|                                                                                                                                                                          | 5407575100-i | HT PRO PIPE WITH TWO SOCKET L 1000 | HT PRO D/S PIPE 3.0 Ft. | 75  | 1              | 502        |
|                                                                                                                                                                          | 5401111100-i | HT PRO PIPE WITH TWO SOCKET L 1000 | HT PRO D/S PIPE 3.0 Ft. | 110 | 1              | 821        |
|                                                                                                                                                                          | 5401212100-i | HT PRO PIPE WITH TWO SOCKET L 1000 | HT PRO D/S PIPE 3.0 Ft. | 125 | 1              | 1328       |
|                                                                                                                                                                          | 5401616100-i | HT PRO PIPE WITH TWO SOCKET L 1000 | HT PRO D/S PIPE 3.0 Ft. | 160 | 1              | 1624       |
|                                                                                                                                                                          | 5404040150-i | HT PRO PIPE WITH TWO SOCKET L 1500 | HT PRO D/S PIPE 4.5 Ft. | 40  | 1              | 315        |
|                                                                                                                                                                          | 5405050150-i | HT PRO PIPE WITH TWO SOCKET L 1500 | HT PRO D/S PIPE 4.5 Ft. | 50  | 1              | 413        |
|                                                                                                                                                                          | 5407575150-i | HT PRO PIPE WITH TWO SOCKET L 1500 | HT PRO D/S PIPE 4.5 Ft. | 75  | 1              | 712        |
|                                                                                                                                                                          | 5401111150-i | HT PRO PIPE WITH TWO SOCKET L 1500 | HT PRO D/S PIPE 4.5 Ft. | 110 | 1              | 1157       |
|                                                                                                                                                                          | 5401212150-i | HT PRO PIPE WITH TWO SOCKET L 1500 | HT PRO D/S PIPE 4.5 Ft. | 125 | 1              | 1876       |
|                                                                                                                                                                          | 5401616150-i | HT PRO PIPE WITH TWO SOCKET L 1500 | HT PRO D/S PIPE 4.5 Ft. | 160 | 1              | 2286       |
|                                                                                                                                                                          | 5404040200-i | HT PRO PIPE WITH TWO SOCKET L 2000 | HT PRO D/S PIPE 6.0 Ft. | 40  | 1              | 406        |
|                                                                                                                                                                          | 5405050200-i | HT PRO PIPE WITH TWO SOCKET L 2000 | HT PRO D/S PIPE 6.0 Ft. | 50  | 1              | 531        |
|                                                                                                                                                                          | 5407575200-i | HT PRO PIPE WITH TWO SOCKET L 2000 | HT PRO D/S PIPE 6.0 Ft. | 75  | 1              | 924        |
|                                                                                                                                                                          | 5401111200-i | HT PRO PIPE WITH TWO SOCKET L 2000 | HT PRO D/S PIPE 6.0 Ft. | 110 | 1              | 1494       |
|                                                                                                                                                                          | 5401212200-i | HT PRO PIPE WITH TWO SOCKET L 2000 | HT PRO D/S PIPE 6.0 Ft. | 125 | 1              | 2423       |
|                                                                                                                                                                          | 5401616200-i | HT PRO PIPE WITH TWO SOCKET L 2000 | HT PRO D/S PIPE 6.0 Ft. | 160 | 1              | 2946       |

**PRICE LIST - HT Pro**
**W.E.F APRIL 2026**

| Images                                                                              | Item Code     | Description                                  | Category                     | DN           | STD. PACK SIZE | List Price |
|-------------------------------------------------------------------------------------|---------------|----------------------------------------------|------------------------------|--------------|----------------|------------|
| <b>HT Pro Bend 15 Deg. &amp; 30 Deg</b>                                             |               |                                              |                              |              |                |            |
|    | 40040150      | HT PRO BEND 15 DEG                           | HT PRO BEND 15               | 110          | 20             | 234        |
|                                                                                     | 40040350      | HT PRO BEND 30 DEG                           | HT PRO BEND 30               | 110          | 20             | 239        |
| <b>HT Pro Bend 45 Deg</b>                                                           |               |                                              |                              |              |                |            |
|    | 40010460-i    | HT PRO BEND 45 DEG                           | HT PRO BEND 45               | 40           | 20             | 66         |
|                                                                                     | 40020460-i    | HT PRO BEND 45 DEG                           | HT PRO BEND 45               | 50           | 80             | 82         |
|                                                                                     | 40030460-i    | HT PRO BEND 45 DEG                           | HT PRO BEND 45               | 75           | 55             | 128        |
|                                                                                     | 40040460-i    | HT PRO BEND 45 DEG                           | HT PRO BEND 45               | 110          | 28             | 186        |
|                                                                                     | 40050460      | HT PRO BEND 45 DEG                           | HT PRO BEND 45               | 125          | 10             | 768        |
|                                                                                     | 40060460      | HT PRO BEND 45 DEG                           | HT PRO BEND 45               | 160          | 10             | 1013       |
| <b>HT Pro Door Bend 45 Deg</b>                                                      |               |                                              |                              |              |                |            |
|     | 40020467      | HT PRO DOOR BEND 45 DEG                      | HT PRO DOOR BEND 45          | 50           | 60             | 149        |
|                                                                                     | 40040467      | HT PRO DOOR BEND 45 DEG                      | HT PRO DOOR BEND 45          | 110          | 18             | 456        |
|                                                                                     | 40040468      | HT PRO DOOR BEND 45 DEG (RIGHT)              | HT PRO DOOR BEND 45 (R)      | 110          | 18             | 386        |
|                                                                                     | 40040469      | HT PRO DOOR BEND 45 DEG (LEFT)               | HT PRO DOOR BEND 45 (L)      | 110          | 18             | 382        |
|                                                                                     | 40060457      | HT PRO DOOR BEND 45 DEG                      | HT PRO DOOR BEND 45          | 160          | 4              | 1751       |
|                                                                                     | 40060458      | HT PRO DOOR BEND 45 DEG (RIGHT)              | HT PRO DOOR BEND 45 (R)      | 160          | 4              | 1504       |
|                                                                                     | 40060459      | HT PRO DOOR BEND 45 DEG (LEFT)               | HT PRO DOOR BEND 45 (L)      | 160          | 4              | 1626       |
| <b>HT Pro Bend 87.5 Deg</b>                                                         |               |                                              |                              |              |                |            |
|    | 40010860-i    | HT PRO BEND 87.5 DEG                         | HT PRO BEND 87.5             | 40           | 20             | 72         |
|                                                                                     | 40020860-i    | HT PRO BEND 87.5 DEG                         | HT PRO BEND 87.5             | 50           | 70             | 77         |
|                                                                                     | 40030860      | HT PRO BEND 87.5 DEG                         | HT PRO BEND 87.5             | 75           | 20             | 155        |
|                                                                                     | 40040860-i    | HT PRO BEND 87.5 DEG                         | HT PRO BEND 87.5             | 110          | 20             | 270        |
|                                                                                     | 40050860      | HT PRO BEND 87.5 DEG                         | HT PRO BEND 87.5             | 125          | 15             | 1058       |
|                                                                                     | 40060860      | HT PRO BEND 87.5 DEG                         | HT PRO BEND 87.5             | 160          | 10             | 722        |
| <b>HT Pro Door Bend 87.5 Deg</b>                                                    |               |                                              |                              |              |                |            |
|    | 40020867-i    | HT PRO DOOR BEND 87.5 DEG                    | HT PRO DOOR BEND 87.5        | 50           | 60             | 221        |
|                                                                                     | 40030867      | HT PRO DOOR BEND 87.5 DEG                    | HT PRO DOOR BEND 87.5        | 75           | 40             | 209        |
|                                                                                     | 40040867-i    | HT PRO DOOR BEND 87.5 DEG                    | HT PRO DOOR BEND 87.5        | 110          | 18             | 517        |
|                                                                                     | 40060857      | HT PRO DOOR BEND 87.5 DEG                    | HT PRO DOOR BEND 87.5        | 160          | 8              | 2429       |
|                                                                                     | 40040868-i    | HT PRO DOOR BEND 87.5 DEG (RIGHT)            | HT PRO DOOR BEND 87.5 (R)    | 110          | 18             | 553        |
|                                                                                     | 40040869      | HT PRO DOOR BEND 87.5 DEG (LEFT)             | HT PRO DOOR BEND 87.5 (L)    | 110          | 18             | 565        |
|                                                                                     | 40060858      | HT PRO DOOR BEND 87.5 DEG (RIGHT)            | HT PRO DOOR BEND 87.5 (R)    | 160          | 4              | 1907       |
|                                                                                     | 40060859      | HT PRO DOOR BEND 87.5 DEG (LEFT)             | HT PRO DOOR BEND 87.5 (L)    | 160          | 4              | 1927       |
| <b>HT pro Wye Branch 45 Deg</b>                                                     |               |                                              |                              |              |                |            |
|  | 40611440      | HT PRO WYE BRANCH 45 DEG                     | HT PRO SINGLE Y              | 40x40        | 20             | 96         |
|                                                                                     | 40622460      | HT PRO WYE BRANCH 45 DEG                     | HT PRO SINGLE Y              | 50x50        | 20             | 139        |
|                                                                                     | 40633460-i    | HT PRO WYE BRANCH 45 DEG                     | HT PRO SINGLE Y              | 75x75        | 32             | 262        |
|                                                                                     | 40644460-i    | HT PRO WYE BRANCH 45 DEG                     | HT PRO SINGLE Y              | 110x110      | 10             | 575        |
|                                                                                     | 40655460      | HT PRO WYE BRANCH 45 DEG                     | HT PRO SINGLE Y              | 125x125      | 20             | 4483       |
|                                                                                     | 40666450      | HT PRO WYE BRANCH 45 DEG                     | HT PRO SINGLE Y              | 160x160      | 10             | 1942       |
|                                                                                     | 40621440      | HT PRO WYE BRANCH 45 DEG                     | HT PRO REDUCING Y            | 50x40        | 20             | 143        |
|                                                                                     | 40632460      | HT PRO WYE BRANCH 45 DEG                     | HT PRO REDUCING Y            | 75x50        | 34             | 350        |
|                                                                                     | 40642460      | HT PRO WYE BRANCH 45 DEG                     | HT PRO REDUCING Y            | 110x50       | 20             | 361        |
|                                                                                     | 40643460      | HT PRO WYE BRANCH 45 DEG                     | HT PRO REDUCING Y            | 110x75       | 20             | 578        |
|                                                                                     | 40654460      | HT PRO WYE BRANCH 45 DEG                     | HT PRO REDUCING Y            | 125x110      | 10             | 3022       |
|                                                                                     | 40664450      | HT PRO WYE BRANCH 45 DEG                     | HT PRO REDUCING Y            | 160x110      | 10             | 2267       |
| <b>HT Pro Tee Branch 90 Deg</b>                                                     |               |                                              |                              |              |                |            |
|  | 40611860      | HT PRO TEE BRANCH 90 DEG                     | HT PRO SINGLE TEE            | 40x40        | 20             | 110        |
|                                                                                     | 40622860      | HT PRO TEE BRANCH 90 DEG                     | HT PRO SINGLE TEE            | 50x50        | 20             | 121        |
|                                                                                     | 40633860-i    | HT PRO TEE BRANCH 90 DEG - REGULAR           | HT PRO SINGLE TEE            | 75x75        | 34             | 197        |
|                                                                                     | 40655860      | HT PRO TEE BRANCH 90 DEG                     | HT PRO SINGLE TEE            | 125x125      | 10             | 607        |
|                                                                                     | 40666860      | HT PRO TEE BRANCH 90 DEG                     | HT PRO SINGLE TEE            | 160x160      | 5              | 947        |
| <b>HT Pro Swept Tee Branch 87.5 Deg</b>                                             |               |                                              |                              |              |                |            |
|   | 40733860-i    | HT PRO SWEPT TEE BRANCH 87.5 DEG             | HT PRO SINGLE TEE SWEPT      | 75x75        | 32             | 260        |
|                                                                                     | 40742860-i    | HT PRO SWEPT TEE BRANCH 87.5 DEG             | HT PRO REDUCING TEE SWEPT    | 110x50       | 10             | 436        |
|                                                                                     | 40743860-i    | HT PRO SWEPT TEE BRANCH 87.5 DEG             | HT PRO REDUCING TEE SWEPT    | 110x75       | 10             | 550        |
|                                                                                     | 40744860-i    | HT PRO SWEPT TEE BRANCH 87.5 DEG             | HT PRO SINGLE TEE SWEPT      | 110x110      | 10             | 510        |
|                                                                                     | 40754860      | HT PRO SWEPT TEE BRANCH 87.5 DEG             | HT PRO REDUCING TEE SWEPT    | 125x110      | 7              | 1080       |
|                                                                                     | 14040764860-i | HT PRO SWEPT TEE BRANCH 87.5 DEG             | HT PRO REDUCING TEE SWEPT    | 160x110      | 4              | 2086       |
|                                                                                     | 41044860      | HT PRO DOUBLE SWEPT TEE BRANCH 87.5 DEG      | HT PRO DOUBLE TEE SWEPT      | 110x110x110  | 8              | 2023       |
|                                                                                     | 41064850      | HT PRO DOUBLE BRANCH 87.5 & 90 DEG           | HT PRO DOUBLE BRANCH         | 1160x110x110 | 4              | 2754       |
| <b>HT Pro Door Tee Branch 87.5 Deg</b>                                              |               |                                              |                              |              |                |            |
|   | 40733867-i    | HT PRO DOOR TEE BRANCH 90 DEG DEG            | HT PRO DOOR TEE SWEPT        | 75x75        | 30             | 460        |
|                                                                                     | 40742867-i    | HT PRO SWEPT DOOR TEE BRANCH 87.5 DEG        | HT PRO DOOR TEE SWEPT        | 110x50       | 10             | 616        |
|                                                                                     | 40743867-i    | HT PRO SWEPT DOOR TEE BRANCH 87.5 DEG        | HT PRO DOOR TEE SWEPT        | 110x75       | 10             | 732        |
|                                                                                     | 40744867-i    | HT PRO SWEPT DOOR TEE BRANCH 87.5 DEG        | HT PRO DOOR TEE SWEPT        | 110x110      | 10             | 754        |
|                                                                                     | 40754867-HM   | HT PRO SWEPT DOOR TEE BRANCH 87.5 DEG        | HT PRO DOOR TEE SWEPT        | 125x110      | 6              | 2016       |
|                                                                                     | 40664857-i    | HT PRO SWEPT DOOR TEE BRANCH 87.5 DEG        | HT PRO DOOR TEE SWEPT        | 160x110      | 4              | 2766       |
|                                                                                     | 41044857-HM   | HT PRO DOUBLE SWEPT DOOR TEE BRANCH 87.5 DEG | HT PRO DOUBLE TEE SWEPT DOOR | 110x110x110  | 6              | 2232       |

| Images                                                                              | Item Code       | Description                                        | Category                      | DN           | STD. PACK SIZE | List Price |
|-------------------------------------------------------------------------------------|-----------------|----------------------------------------------------|-------------------------------|--------------|----------------|------------|
| <b>HT Pro Reducing Tee Branch 90 Deg</b>                                            |                 |                                                    |                               |              |                |            |
|    | 40621860        | HT PRO TEE BRANCH 90 DEG                           | HT PRO REDUCING TEE           | 50x40        | 50             | 166        |
|                                                                                     | 40632860        | HT PRO TEE BRANCH 90 DEG                           | HT PRO REDUCING TEE           | 75x50        | 35             | 185        |
|                                                                                     | 40642860        | HT PRO TEE BRANCH 90 DEG (SHORT)                   | HT PRO REDUCING TEE (SHORT)   | 110x50       | 20             | 392        |
|                                                                                     | 40652860        | HT PRO TEE BRANCH 90 DEG                           | HT PRO REDUCING TEE           | 125x50       | 11             | 614        |
|                                                                                     | 40662860        | HT PRO TEE BRANCH 90 DEG                           | HT PRO REDUCING TEE           | 160x50       | 6              | 1093       |
|                                                                                     | 40664860        | HT PRO TEE BRANCH 90 DEG                           | HT PRO REDUCING TEE           | 160x110      | 6              | 877        |
| <b>HT Pro Double Wye Branch 45 Deg</b>                                              |                 |                                                    |                               |              |                |            |
|    | 41042450        | HT PRO DOUBLE WYE BRANCH 45 DEG                    | HT PRO REDUCING DOUBLE Y      | 110x50x50    | 10             | 1560       |
|                                                                                     | 41044450        | HT PRO DOUBLE WYE BRANCH 45 DEG                    | HT PRO DOUBLE Y               | 110x110x110  | 10             | 1463       |
|                                                                                     | 41062450        | HT PRO DOUBLE WYE BRANCH 45 DEG                    | HT PRO REDUCING DOUBLE Y      | 160x50x50    | 1              | 1225       |
|                                                                                     | 41044457        | HT PRO DOUBLE WYE BRANCH 45 DEG (DOOR)             | HT PRO DOUBLE Y DOOR          | 110x110x110  | 6              | 3106       |
| <b>HT pro Corner Branch 87 Deg</b>                                                  |                 |                                                    |                               |              |                |            |
|    | 41244850        | HT PRO CORNER BRANCH 87 DEG                        | HT PRO CORNER BRANCH          | 110x110x110  | 6              | 1346       |
|                                                                                     | 4041254850      | HT PRO CORNER BRANCH 87 DEG                        | HT PRO CORNER BRANCH          | 125x110x110  | 6              | 1968       |
|                                                                                     | 41264850-i      | HT PRO CORNER BRANCH 87 DEG                        | HT PRO RED. CORNER BRANCH     | 160x110x110  | 4              | 2382       |
| <b>HT Pro Inspection Pipe</b>                                                       |                 |                                                    |                               |              |                |            |
|    | 49130060-i      | HT PRO INSPECTION PIPE                             | HT PRO CLEANING PIPE          | 75           | 20             | 460        |
|                                                                                     | 49140060-i      | HT PRO INSPECTION PIPE                             | HT PRO CLEANING PIPE          | 110          | 15             | 566        |
|                                                                                     | 49150060        | HT PRO INSPECTION PIPE                             | HT PRO CLEANING PIPE          | 125          | 10             | 1249       |
|                                                                                     | 49160060        | HT PRO INSPECTION PIPE                             | HT PRO CLEANING PIPE          | 160          | 10             | 1199       |
| <b>HT Pro One Way Socket</b>                                                        |                 |                                                    |                               |              |                |            |
|    | 41710055-i      | HT PRO DOUBLE SOCKET                               | HT PRO COUPLER                | 40           | 20             | 73         |
|                                                                                     | 41720055-i      | HT PRO ONE WAY SOCKET                              | HT PRO COUPLER                | 50           | 20             | 85         |
|                                                                                     | 41730050-i      | HT PRO DOUBLE SOCKET                               | HT PRO COUPLER                | 75           | 44             | 115        |
|                                                                                     | 41740055-i      | HT PRO DOUBLE SOCKET                               | HT PRO COUPLER                | 110          | 32             | 210        |
|                                                                                     | 41750065        | HT PRO ONE WAY SOCKET                              | HT PRO COUPLER                | 125          | 20             | 494        |
|                                                                                     | 41760055        | HT PRO ONE WAY SOCKET                              | HT PRO COUPLER                | 160          | 12             | 1054       |
| <b>HT Pro Sleeve</b>                                                                |                 |                                                    |                               |              |                |            |
|  | 41720053        | HT PRO SLEEVE                                      | HT PRO REPAIRING COUPLER      | 50           | 20             | 115        |
|                                                                                     | 41730053        | HT PRO SLEEVE                                      | HT PRO REPAIRING COUPLER      | 75           | 44             | 128        |
|                                                                                     | 41740053        | HT PRO SLEEVE                                      | HT PRO REPAIRING COUPLER      | 110          | 32             | 215        |
| <b>HT Pro Reducer</b>                                                               |                 |                                                    |                               |              |                |            |
|   | 42121060        | HT PRO REDUCER                                     | ECCENTRIC REDUCER             | 50x40        | 20             | 66         |
|                                                                                     | 42132050        | HT PRO REDUCER                                     | ECCENTRIC REDUCER             | 75x50        | 20             | 83         |
|                                                                                     | 42142050        | HT PRO REDUCER                                     | ECCENTRIC REDUCER             | 110x50       | 60             | 182        |
|                                                                                     | 42143050-i      | HT PRO REDUCER                                     | ECCENTRIC REDUCER             | 110x75       | 60             | 215        |
|                                                                                     | 42154060        | HT PRO REDUCER                                     | ECCENTRIC REDUCER             | 125x110      | 20             | 421        |
|                                                                                     | 42164050        | HT PRO REDUCER                                     | ECCENTRIC REDUCER             | 160x110      | 20             | 653        |
|                                                                                     | 42134050-i      | HT PRO REVERSE REDUCER                             | ECCENTRIC REVERSE REDUCER     | 110x75       | 20             | 510        |
| <b>HT Pro Reducer Bushing</b>                                                       |                 |                                                    |                               |              |                |            |
|  | P050000000040K  | HT PRO REDUCER BUSHING                             | COCENTRIC REDUCER             | 50x40        | 50             | 192        |
|                                                                                     | P075000000050K  | HT PRO REDUCER BUSHING                             | COCENTRIC REDUCER             | 75x50        | 20             | 253        |
|                                                                                     | P1100000000050V | HT PRO REDUCER BUSHING                             | COCENTRIC REDUCER             | 110x50       | 20             | 328        |
|                                                                                     | P1100000000075V | HT PRO REDUCER BUSHING                             | COCENTRIC REDUCER             | 110x75       | 20             | 401        |
| <b>HT Pro End Cap</b>                                                               |                 |                                                    |                               |              |                |            |
|  | 41610040        | HT PRO END PLUG                                    | HT PRO END CAP                | 40           | 20             | 35         |
|                                                                                     | 41620050-i      | HT PRO END PLUG                                    | HT PRO END CAP                | 50           | 20             | 66         |
|                                                                                     | 41630050-i      | HT PRO END PLUG                                    | HT PRO END CAP                | 75           | 20             | 70         |
|                                                                                     | 41640050-i      | HT PRO END PLUG                                    | HT PRO END CAP                | 110          | 100            | 115        |
|                                                                                     | 41650060        | HT PRO END PLUG                                    | HT PRO END CAP                | 125          | 24             | 251        |
|                                                                                     | 41660060        | HT PRO END PLUG                                    | HT PRO END CAP                | 160          | 40             | 344        |
| <b>HT Pro Venting Cap</b>                                                           |                 |                                                    |                               |              |                |            |
|  | 4042320040      | HT PRO VENTING CAP                                 | HT PRO VENT COWL              | 50           | 240            | 239        |
|                                                                                     | 4042330040      | HT PRO VENTING CAP                                 | HT PRO VENT COWL              | 75           | 96             | 185        |
|                                                                                     | 4042340060      | HT PRO VENTING CAP                                 | HT PRO VENT COWL              | 110          | 80             | 194        |
|                                                                                     | 4042360040      | HT PRO VENTING CAP                                 | HT PRO VENT COWL              | 160          | 27             | 413        |
| <b>HT PRO BOSS CONNECTOR</b>                                                        |                 |                                                    |                               |              |                |            |
|  | 5401106650-i    | HT PRO BOSS CONNECTOR 110 x L660 mm WITH ONE INLET | HT PRO BOSS PIPE (123+50+430) | 110x50       | 1              | 1004       |
|                                                                                     | 540110502-i     | HT PRO BOSS CONNECTOR 110 x L660 mm DOUBLE BRANCH  | HT PRO BOSS PIPE (123+50+430) | 110x50x50    | 1              | 1404       |
|                                                                                     | 5401105102-i    | HT PRO BOSS CONNECTOR 110 x L660 mm CORNER BRANCH  | HT PRO BOSS PIPE (123+50+430) | 110x50x50    | 1              | 1404       |
|                                                                                     | 540110503-i     | HT PRO BOSS CONNECTOR 110 x L660 mm TRIPLE BRANCH  | HT PRO BOSS PIPE (123+50+430) | 110x50x50x50 | 1              | 1604       |

| Images                                                                              | Item Code       | Description                                | Category                         | DN           | STD. PACK SIZE | List Price |
|-------------------------------------------------------------------------------------|-----------------|--------------------------------------------|----------------------------------|--------------|----------------|------------|
| <b>HT Pro P Trap</b>                                                                |                 |                                            |                                  |              |                |            |
|    | 49540750 G-i    | HT PRO P TRAP (50 MM WATER SEAL)           | HT PRO P TRAP                    | 110x110      | 10             | 1132       |
| <b>HT Pro S Trap</b>                                                                |                 |                                            |                                  |              |                |            |
|    | 41840051-i      | HT PRO S TRAP (SIPHON TYPE)                | HT PRO S TRAP                    | 110x110      | 6              | 2262       |
| <b>HT Pro Nahani Trap</b>                                                           |                 |                                            |                                  |              |                |            |
|    | 69111750 G-i    | HT PRO NAHANI TRAP                         | HT PRO NHANI TRAP (NT)           | 110x75       | 30             | 649        |
| <b>HT Pro Height Riser For P Trap</b>                                               |                 |                                            |                                  |              |                |            |
|     | 41242850-i      | HT PRO CORNER BRANCH 87 DEG                | HT. RISER WITH 2 INLET 90 DEG    | 110x50x50    | 10             | 1061       |
|                                                                                     | 41042860        | HT PRO DOUBLE BRANCH 87.5 DEG              | HT. RISER WITH 2 INLET 180 DEG   | 110x50x50    | 10             | 1265       |
|                                                                                     | 4102042860      | HT PRO HOPPER WITH 3 INLET                 | HT. RISER WITH 3 INLET           | 110x50x50x50 | 10             | 1380       |
|                                                                                     | 4041043280      | HT PRO DOUBLE BRANCH 87.5 DEG              | HT. RISER WITH 50 & 75 MM INLET  | 110x75x50    | 5              | 1038       |
| <b>HT Pro Multi Floor Trap</b>                                                      |                 |                                            |                                  |              |                |            |
|     | 60117051        | HT PRO MULTI FLOOR TRAP (50 MM WATER SEAL) | HT PRO MULTI FLOOR TRAP 7"       | 110X75X50    | 12             | 1256       |
|                                                                                     | 14048111060 G-i | HT PRO MULTI FLOOR TRAP WITH SOCKET        | HT PRO MULTI FLOOR TRAP SOCKETED | 110X75X50    | 6              | 1680       |
| <b>HT Pro Ht. Riser For MFT &amp; NT</b>                                            |                 |                                            |                                  |              |                |            |
|  | 69201551 G-i    | HT PRO HEIGHT RISER L 150                  | HT. RISER FOR MFT                | 110          | 30             | 497        |
|                                                                                     | 69203551 G-i    | HT PRO HEIGHT RISER L 350                  | HT. RISER FOR MFT                | 110          | 10             | 737        |
|                                                                                     | 60203651-i      | HT PRO HEIGHT RISER FOR THREAD LOCK TRAP   | HT. RISER FOR MFT                | 110          | 48             | 109        |
| <b>H.A.F.F Stack</b>                                                                |                 |                                            |                                  |              |                |            |
|  | 4049911100 G-i  | HT PRO H.A.F.F STACK                       | H.A.F.F STACK FOR SINGLE STACK   | 110X110X75   | 1              | 6600       |
| <b>Lubricant</b>                                                                    |                 |                                            |                                  |              |                |            |
|  | 47700012        | LUBRICANT                                  | TIN PACK                         | 250 ML       | 40             | 198        |
| <b>HT Pro Clamps</b>                                                                |                 |                                            |                                  |              |                |            |
|   | 48100040-S      | HT PRO SPLIT CLAMP                         | HT PRO CLAMP 40                  | 40           | 250            | 105        |
|                                                                                     | 48100050-S      | HT PRO SPLIT CLAMP                         | HT PRO CLAMP 50                  | 50           | 200            | 115        |
|                                                                                     | 48100075-S      | HT PRO SPLIT CLAMP                         | HT PRO CLAMP 75                  | 75           | 120            | 145        |
|                                                                                     | 48100011-S      | HT PRO SPLIT CLAMP                         | HT PRO CLAMP 110                 | 110          | 80             | 175        |
|                                                                                     | 48100012-S      | HT PRO SPLIT CLAMP                         | HT PRO CLAMP 125                 | 125          | 80             | 205        |
|                                                                                     | 48100016-S      | HT PRO SPLIT CLAMP                         | HT PRO CLAMP 160                 | 160          | 65             | 250        |
|                                                                                     | 48100020-S      | HT PRO SPLIT CLAMP                         | HT PRO CLAMP 200                 | 200          | 32             | 295        |
| <b>Aqua Slim S.S Shower Channels</b>                                                |                 |                                            |                                  |              |                |            |
|   | 60150331        | AQUASLIM S. STEEL L/330MM                  | Shower Channel                   | 1            | 10             | 1288       |
|                                                                                     | 60150339        | AQUASLIM FULL S. STEEL 330 TILES           | Shower Channel                   | 1            | 10             | 1333       |
|                                                                                     | 60150701        | AQUASLIM S. STEEL L/700MM                  | Shower Channel                   | 1            | 10             | 1790       |
|                                                                                     | 60150709        | AQUASLIM FULL S. STEEL 700 TILES           | Shower Channel                   | 1            | 10             | 1939       |
|                                                                                     | 60200260        | EXTENTION FOR SQUARE GRATING               |                                  | 1            | 80             | 82         |
|                                                                                     | 60200263        | EXTENTION FOR SQUARE GRATING               |                                  | 1            |                | 78         |

| Images                                                                            | Item Code | Description                    | Category                   | DN         | STD. PACK SIZE | List Price |
|-----------------------------------------------------------------------------------|-----------|--------------------------------|----------------------------|------------|----------------|------------|
| <b>WC Connector</b>                                                               |           |                                |                            |            |                |            |
|  | 41540020  | STRAIGHT WC CONN. WHITE        | STRAIGHT WC CONNECTOR      | CONN       | 12             | 1558       |
|  | 41540027  | STRAIGHT WC CONN. INSP. WH.    | DOOR STRAIGHT WC CONNECTOR | INSP       | 12             | 1776       |
|  | 41542866  | WC BEND + BACK INSPECTION-WHIT | WC Bend with Door          | INSPECTION | 12             | 1559       |
|  | 41540615  | FLANGE FOR WC BEND - WHITE     | FLANGE FOR WC BEND - WHITE | FLANGE     | 12             | 66         |

**Terms & Conditions:**

1) Prices are ex-factory / depot

2) Payment - Advance Payment

3) GST extra as applicable

4) All disputes are subject to Mumbai jurisdiction only

5) The company reserve the right to revise the prices without any prior intimation

 5) **Disclaimer:** All prices are provisional and subject to change without prior notice at our sole discretion. Prices at the time of dispatch/invoicing shall be final and binding, irrespective of any previously shared price list, quotation, or agreed terms.

 6) **Force Majeure:** We shall not be held liable for any delay, non-performance, or revision in pricing arising out of events beyond our reasonable control, including but not limited to geopolitical developments, war, government actions, supply chain disruptions, raw material shortages, freight escalations, currency fluctuations, or any other force majeure event. In such cases, we reserve the absolute right to revise prices, suspend supplies, or cancel pending orders without any liability.