




PRICE LIST

Effective from Date : 01-06-2025

TECHNICA[®]



Fit **Perfectly**...
Hold **Tightly**....
Keep **Securely**...
Where **Ever** Required...



COMPANY PROFILE

Technica Enterprises, established by Mr. Bharat Bhalani in the year 1992, is one of the renowned manufacturers based at Rajkot (Gujarat) - one of the Prime Industrial Cities of India. We are a well established Company in India, being fully experienced, equipped and engaged in the manufacturing of the best quality Fasteners such as **Pipe Clamps, Sprinkler Hangers, Strip Clamps, U Clamps, Base U Clamps, Hold Fast Clamps, Cable Tray etc....** all these products are highly appreciated and accepted by all our clients, mainly due to their precision workmanship and the best quality raw materials, their very important characteristics like durability, user friendliness in diversified applications, easy maintenance, heavy, robust and sturdy construction, corrosion resistance process, availability in various Sizes, Shapes & Specifications and all these at the most competitive prices.

We have adopted State of the Art Technology in our Manufacturing Unit to maintain the consistency of the Quality of our Products. Our Manufacturing Unit is set up in the prime Industrial Area of Rajkot City. We have also established ISO 9001:2015 System in our Company with Total Management System for Various Departments of the Company like Purchase & QC, Testing, Tooling, R&D, Manufacturing, Packaging, Marketing, After Sales Services and Finance etc... Our State of the Art Technology with latest Machineries and Toolings manufacture the Products with International Quality Standards as well as Tailor Made requirements of our Clients. Our Purchase Team takes immense care for the Procurement from genuine and standard suppliers with all Test Reports. Our well trained and dedicated Production Team is fully geared to increase the output with the best quality and within the desired timeframe to serve our clients in the best optimum possible manner. Our Professional workforce always remains determined to achieve the pre-defined goals of the Company and to meet various requirements of our clients.


The prime principle of our Company is to check and maintain the consistency of the Quality of our Products at each and every Stage so as to be able to provide sheer satisfaction to our clients. So our professional work force perform all QC Tests to examine everything, right from material receiving stage to material packing stage. To meet the latest demands of the Market as per the fast changing trends of the Industry and also to meet our Company's goal to continuously provide new products and designs in the market, our innovative and aggressive Team is well engaged in the continuous Research & Development Work.

During our long Journey of almost 32 Years, we have developed a huge Market Network for our best Quality Products and established ourselves as one of the most reputed Manufacturers and Suppliers across the Country. Our existing, highly satisfied and reputed cliental also helps us in expanding our network through their references which is a big achievement and a motivational factor as well for our Company.





TECHNICA[®] [©]



Our Mission

To become the best in its class, with continuous up gradation in technology, incomparable creativity and trend setting leadership.



MAJOR AREAS OF APPLICATION

Plumbing | Sanitation | Fire Fighting | Electric & Power line | Air Conditioning | Gas | Oil | Chimney | Irrigation Areas |
Solar Plants | Parking | Factories & Plants | Households | Housing Complexes | Hospitals | Hotels | Shopping Malls
Cold Storage | Pharmaceuticals | Garden and Landscapes | Dairy Plant



Features...

Easy Installation | Time Saving | More Strength | Greater Safety | Tidiness | Easy Maintenance |
EPDM Rubber Lining | Electro Galvanized Zinc coated Steel | Available in all sizes



Fit **Perfectly**... Hold **Tightly**....
Keep **Securely**... Where **Ever** Required...



PIPE SUPPORT SPLIT CLAMP

EPDM Rubber

Technical Data


Material	EPDM
Hardness	70 Shore A
Special Gravity	1.25 G/cm
Tensile	79 kg/cm
Elongation	310%
Temperature	-10°C +100° Degree

Split Pipe support clamp is an engineering marvel. It has been designed to give vertical and horizontal support to pipes and cables.

This support does not merely mean holding pipes and cables in place but much more than that. The **Technica** split pipe support clamps give tight and right support with the freedom to easily repair, maintain and change in future which ordinary clamps fail to do. The **Technica** Clamps are designed in such a way that they can easily be said the next generation clamps.

Item Code	Size mm	Inch	Hold-on nut mm	Width by Thickness	Price in ₹ Per Pc. EPDM Rubber Lining Zinc Plated
TEC - 101	15	1/2"	8 & 10	20X1.6 mm	₹ 46.00
TEC - 102	20	3/4"	8 & 10	20X1.6 mm	₹ 48.00
TEC - 103	25	1"	8 & 10	20X1.6 mm	₹ 51.00
TEC - 104	32	1 1/4"	8 & 10	20X1.6 mm	₹ 55.00
TEC - 105	40	1 1/2"	8 & 10	20X1.6 mm	₹ 56.00
TEC - 106	50	2"	8 & 10	20X1.6 mm	₹ 61.00
TEC - 107	65	2 1/2"	10	20X2 mm	₹ 77.00
TEC - 108	80	3"	10	20X2 mm	₹ 84.00
TEC - 109	100	4"	10	20X2 mm	₹ 108.00
TEC - 110	125	5"	10	20X2.5 mm	₹ 130.00
TEC - 111	150	6"	10	20X2.5 mm	₹ 145.00
TEC - 112	200	8"	10	20X2.5 mm	₹ 184.00
TEC - 113	125mm Huliot Pipe		10	20X2 mm	₹ 128.00
TEDC - 2001	Dupllo Clamp		10	20X2 mm	₹ 85.00

Discount :%



Strengthened
welded nut
M8/M10- 1/2" to 2"
M10-2 1/2", 3", 4", 5", 6", 8"

EPDM Rubber
Lining For
Vibration And
Sound Insulation



Electro
Zinc Plated
Steel Clamp Body

Lock bolts allow
adjustment to
accommodate
varying
pipe diameters



Rubber Pad
inner grooves
for tight support

M6 Lock Bolts
for Size 1/2" to 3"
M8 lock bolts
for sizes 4" to 8"



PIPE SUPPORTING SYSTEM



“U” Bolt with 2 Flange Nut

Genuine Steel GI Galvanized sheet 100/120 GSM Special Material. The material used is AM/NS India & JSW from which “C” Channel, “Z” Channel, “C” Double Bending Channel are made.

CHANNELS		SIZE	RATE
	Slotted G.I. Channel	1.2 mm Approx.	₹ 36.00 Per Running Feet
	Slotted G.I. Channel	1.5 mm Approx.	₹ 43.00 Per Running Feet
	Slotted G.I. Channel	2 mm Approx.	₹ 52.00 Per Running Feet
	Slotted G.I. Channel	2.5 mm Approx.	₹ 63.00 Per Running Feet
	Slotted G.I. Double Bending	1.5 mm x 8 feet Approx.	₹ 510.00 Per Piece
	Slotted F.R.P. Channel	40 x 11 x 3.5 mm Approx.	₹ 53.00 Per Running Feet
	Slotted G.I.Z. Channel	2" x 8' x 1.2mm Approx.	₹ 545.00 Per Piece
		2" x 8' x 1.5 mm Approx.	₹ 653.00 Per Piece
		3" x 8' x 1.5 mm Approx.	₹ 845.00 Per Piece
		3" x 8' x 2 mm Approx.	₹ 1115.00 Per Piece

TECHNICA “L” BEND (M.S. BAND)

5mm Approx. Special Electro
Zinc Plated 9 - 10 Mic.

SIZE	RATE
1.5"	₹ 33.00
2"	₹ 37.00
3"	₹ 42.00
4"	₹ 47.00
5"	₹ 52.00
6"	₹ 60.00
7"	₹ 70.00
8"	₹ 75.00



M.S. NUT BOLT WASHER SET

5/16 BSW - Special Electro
Zinc Plated 10.5 - 10.8 Mic.



₹ 6.50 Per Set.

“L” Profile Bracket with Ribs & Dimple Notch

GI 2mm Approx.

SIZE	RATE
1.5"	₹ 28.00
2"	₹ 31.00
3"	₹ 35.00
4"	₹ 38.00



PIPE SUPPORTING SYSTEM

EPDM Rubber D Type Heavy

“U” Bolt with 2 Flange Nut

Slotted Base and U-bolt(PURE EPDM RUBBER) are combined and used in Multiple pipe Lines, Cables of Different Sizes useful for maintaining level to lay multiple liner whether horizontal, vertical roof hanging or grounded by accommodating & checking curve formation. Both are used for fixing lines very fast and can accommodate variation in diameter because of extra threaded portion and easy in installation, maintenance & cleaning by comfortable approach of each lines from back side.



Item Code	Nominal Pipe Size		SIZE	Price in ₹ Per Pc. U Bolt With EPDM Rubber With 2 Flange Nut
	mm	Inch		
TEUBR - 201	15	1/2"	5/16"	₹ 20.00
TEUBR - 202	20	3/4"	5/16"	₹ 23.00
TEUBR - 203	25	1"	5/16"	₹ 25.00
TEUBR - 204	32	1 1/4"	5/16"	₹ 26.00
TEUBR - 205	40	1 1/2"	5/16"	₹ 30.00
TEUBR - 206	50	2"	5/16"	₹ 33.00
TEUBR - 207	65	2 1/2"	5/16"	₹ 38.00
TEUBR - 208	80	3"	5/16"	₹ 43.00
TEUBR - 209	100	4"	5/16"	₹ 50.00
TEUBR - 210	125	5"	5/16"	₹ 64.00
TEUBR - 211	150	6"	5/16"	₹ 78.00
TEUBR - 212	200	8"	5/16"	₹ 90.00

Discount :%

“U” Bolt with 2 Flange Nut


Useful for fixing lines very fast on any type of slotted base & can accommodate variation in diameter because of extra threaded portion.



Item Code	Nominal Pipe Size		SIZE	Price in ₹ Per Pc. U Bolt Electro Zinc Plated with nut and washer
	mm	Inch		
TEUB - 101	15	1/2"	5/16"	₹ 15.50
TEUB - 102	20	3/4"	5/16"	₹ 17.70
TEUB - 103	25	1"	5/16"	₹ 18.50
TEUB - 104	32	1 1/4"	5/16"	₹ 19.75
TEUB - 105	40	1 1/2"	5/16"	₹ 22.00
TEUB - 106	50	2"	5/16"	₹ 23.00
TEUB - 107	65	2 1/2"	5/16"	₹ 26.50
TEUB - 108	80	3"	5/16"	₹ 29.50
TEUB - 109	100	4"	5/16"	₹ 32.50
TEUB - 110	125	5"	5/16"	₹ 42.00
TEUB - 111	150	6"	5/16"	₹ 48.00
TEUB - 112	200	8"	5/16"	₹ 53.00

Discount :%

FASTENERS

Products		Thickness Size mm	Drill Size in mm	Price in ₹ Per Pc. Zinc Plated
TETR-01	Full Threaded Rod (Available in 2 mtr. Length) 	6x2 Mtr.	----	₹ 86.00
TETR-02		8x2 Mtr.	----	₹ 128.00
TETR-03		10x2 Mtr.	----	₹ 195.00
TETR-04		12x2 Mtr.	----	₹ 292.00
TETR-05		16x2 Mtr.	----	₹ 465.00
TEF-01	Hammer Drive Anchor Fastener 	10x75	10	₹ 23.00
TEF-02		10x100	10	₹ 29.00
TEF-03		12x75	12	₹ 29.00
TEF-04		12x100	12	₹ 00.00
TECCB-01	10mm CCB (Rawal Fastener) 	10x75	16	₹ 36.00
TECCB-02		8x30	14	₹ 22.00
TED-01	Drop Anchor (Bullet) 	6x25	8	₹ 6.00
TED-02		8x30	10	₹ 7.00
TED-03		10x40	12	₹ 11.00
TED-04		12x50	16	₹ 20.00
TED-05		10x40	10	₹ 31.00
TENW-01	Nut & Washer 	6	-	₹ 1.50
TENW-02		8	-	₹ 3.00
TENW-03		10	-	₹ 4.50
TENW-04		12	-	₹ 5.70
TELN-01	Long Joint Nut 	8x30	-	₹ 12.00
TELN-02		10x40	-	₹ 21.00
TELN-03		12x50	-	₹ 24.00
TELN-04		16x50	-	₹ 42.00
TEPA-01	Pipe Nut Drop Anchor 	6	-	₹ 6.00
TEPA-02		8	-	₹ 8.00
TEPA-03		10	-	₹ 10.00

Discount :%

PIPE SUPPORT SPLIT CLAMP

Silicon Rubber



Technical Data

Material	Silicon
Hardness	70 Shore A
Special Gravity	1.20 G/cm
Tensile	89 kg/cm
Elongation	360%
Temperature	0°-200° Degree

Split Pipe support clamp is an engineering marvel. It has been designed to give vertical and horizontal support to pipes and cables.

This support does not merely mean holding pipes and cables in place but much more than that. The **Technica** split pipe support clamps give tight and right support with the freedom to easily repair, maintain and change in future which ordinary clamps fail to do. The **Technica** Clamps are designed in such a way that they can easily be said the next generation clamps.

Item Code	Size mm	Inch	Hold-on nut mm	Width by Thickness	Price in ₹ Per Pc. SILICON Rubber Lining Zinc Plated
TECS - 1001	15	1/2"	8 & 10	20X1.6 mm	₹ 55.00
TECS - 1002	20	3/4"	8 & 10	20X1.6 mm	₹ 60.00
TECS - 1003	25	1"	8 & 10	20X1.6 mm	₹ 66.00
TECS - 1004	32	1 1/4"	8 & 10	20X1.6 mm	₹ 75.00
TECS - 1005	40	1 1/2"	8 & 10	20X1.6 mm	₹ 78.00
TECS - 1006	50	2"	8 & 10	20X1.6 mm	₹ 90.00
TECS - 1007	65	2 1/2"	10	20X2 mm	₹ 111.00
TECS - 1008	80	3"	10	20X2 mm	₹ 124.00
TECS - 1009	100	4"	10	20X2 mm	₹ 156.00
TECS - 1010	125	5"	10	20X2.5 mm	₹ 196.00
TECS - 1011	150	6"	10	20X2.5 mm	₹ 222.00
TECS - 1012	220	8"	10	20X2.5 mm	₹ 275.00

Discount :%



Make a hole of size 8mm/10mm the wall for the fastener where the pipe is be mounted or hanged.

Insert hammer drive anchor the fastener in the hole. Place pin inside the fastener and strike with hammer to make fastener fixed firmly in the wall. If using 3 leaf bolt shield for distance, place fastener into the hole and tighten with rod. When fully tightened put a nut washer at wall level to keep fastener in place.



Separate the split clamp part by unscrewing the inside lock bolts. Screw the connecting nut parts to the threaded part of the fastener or in the case of the 3 leaf bolt shield to the rod attached to it.

Place the pipe over the clamp half fixed firmly to the wall with the fastener. Put the outer half of the clamp over the pipe and screw the side locking bolts. Tighten the bolts as per requirement according to the slight variation in the pipe diameter.



Follow the same procedure for horizontal and roof hanging.

PIPE SUPPORTING SYSTEM

Silicon Rubber



“U” Bolt with 2 Flange Nut

Slotted Base and U-bolt (**PURE Silicon RUBBER**) are combined and used in Multiple pipe Lines, Cables of Different Sizes useful for maintaining level to lay multiple liner whether horizontal, vertical roof hanging or grounded by accommodating & checking curve formation. Both are used for fixing lines very fast and can accommodate variation in diameter because of extra threaded portion and easy in installation, maintenance & cleaning by comfortable approach of each lines from back side.

Item Code	Nominal Pipe Size		SIZE	Price in ₹ Per Pc. U Bolt With SILICON Rubber With 2 Flange Nut
	mm	Inch		
TEUBS - 301	15	1/2"	5/16"	₹ 23.00
TEUBS - 302	20	3/4"	5/16"	₹ 26.00
TEUBS - 303	25	1"	5/16"	₹ 28.00
TEUBS - 304	32	1 1/4"	5/16"	₹ 30.00
TEUBS - 305	40	1 1/2"	5/16"	₹ 34.00
TEUBS - 306	50	2"	5/16"	₹ 38.00
TEUBS - 307	65	2 1/2"	5/16"	₹ 45.00
TEUBS - 308	80	3"	5/16"	₹ 51.00
TEUBS - 309	100	4"	5/16"	₹ 60.00
TEUBS - 310	125	5"	5/16"	₹ 72.00
TEUBS - 311	150	6"	5/16"	₹ 86.00
TEUBS - 312	200	8"	5/16"	₹ 97.00

Discount :%

SPRINKLER HANGER

Sprinkler hangers are one piece hangers to provide high permissible loads. The specially designed shape allows a lot of freedom in adjusting heights and the angle of support

Item Code	Size		Hold - on nut mm	Width & Thickness	Price in ₹ Per Pc. Without Rubber G.I.
	mm	Inch			
TESH - 101	15	½"	8 & 10	20X1.2	₹ 14.00
TESH - 102	20	¾"	8 & 10	20X1.5	₹ 15.00
TESH - 103	25	1"	8 & 10	20X1.5	₹ 17.50
TESH - 104	32	1¼"	8 & 10	20X1.5	₹ 20.00
TESH - 105	40	1½"	8 & 10	20X1.5	₹ 21.00
TESH - 106	50	2"	10	20X1.5	₹ 22.50
TESH - 107	65	2½"	10	20X1.5	₹ 26.00
TESH - 108	80	3"	10	20X1.5	₹ 30.00
TESH - 109	100	4"	10	20X1.5	₹ 40.00
TESH - 110	150	6"	10	20X1.5	₹ 62.00
TESH - 111	200	8"	10	20X1.5	₹ 108.00



Discount :%

EPDM Rubber Casing for Smooth Support

The Rubber makes an extra grip on the pipe. It also absorbs any kind of vibrations or noise due to the flow inside the pipe and stops it from going to the nuts and bolts and they remain tight and secure.




Item Code	Size		Hold - on nut mm	Width & Thickness	Price in ₹ Per Pc. With EPDM Rubber G.I.
	mm	Inch			
TESHR - 201	15	½"	8 & 10	20X1.2	₹ 21.00
TESHR - 202	20	¾"	8 & 10	20X1.5	₹ 23.00
TESHR - 203	25	1"	8 & 10	20X1.5	₹ 26.00
TESHR - 204	32	1¼"	8 & 10	20X1.5	₹ 30.00
TESHR - 205	40	1½"	8 & 10	20X1.5	₹ 33.00
TESHR - 206	50	2"	10	20X1.5	₹ 36.00
TESHR - 207	65	2½"	10	20X1.5	₹ 43.00
TESHR - 208	80	3"	10	20X1.5	₹ 48.00
TESHR - 209	100	4"	10	20X1.5	₹ 65.00
TESHR - 210	150	6"	10	20X1.5	₹ 93.00
TESHR - 211	200	8"	10	20X1.5	₹ 129.00

Discount :%

RACK BOLT


<i>Products</i>		<i>Size in mm</i>	<i>Price in ₹ Per Set</i>
	7" Rack Bolt ("T" Type) S.S. Square ABS Cap	16	₹ 530.00
	7" Rack Bolt ("S" Type) S.S. ABS Cap	16	₹ 415.00
	9" Rack Bolt ("T" Type) S.S. Square ABS Cap	16	₹ 650.00
	9" Rack Bolt ("S" Type) S.S. ABS Cap	16	₹ 500.00
	6.5" Rack Bolt ("S" Type) Metal Cap Commercial	5/8	₹ 330.00
	Sink Bolt S.S. 202	10x120	₹ 113.00
	Rubber Kit		₹ 60.00
	7" Rack Bolt ("T" Type) S.S. ABS Cap	12	₹ 495.00
	7" Rack Bolt ("S" Type) S.S. ABS Cap	12	₹ 345.00
	7" Rack Bolt ("S" Type) Sumo Imported	12	₹ 440.00

Discount :%




BASE CLAMP

Slotted base are useful in multiple pipe lines. cables of different sizes, useful for maintaining level to lay multiple liner whether horizontal, vertical, roof hanging or grounded by accommodating & checking curve formation. Easy in installation, maintenance & cleaning by comfortable approach of each lines from back side.



(Material Size - GP 2.5mm)

Item Code	TBC-401	TBC-402	TBC-403	TBC-404	TBC-405	TBC-406	TBC-407	TBC-408	TBC-409	TBC-410
Capsule 10x87	1	2	3	4	5	6	7	8	9	10
Height	3"	3"	3"	3"	3"	3"	3"	3"	3"	3"
Length	150 mm	200 mm	300 mm	400 mm	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm
M.R.P.	114.00	123.00	145.00	171.00	193.00	223.00	252.00	285.00	308.00	333.00



(Material Size - GP 3mm)

SLOTTED BASE

Item Code	TSB-501	TSB-502	TSB-503	TSB-504
Size	30 x 3	30 x 3	30 x 3	30 x 3
Hole Size	8 x 25	8 x 25	8 x 25	8 x 25
Length	200 mm	300 mm	400 mm	500 mm
M.R.P.	57.00	70.00	89.00	108.00


SLOTTED STRIP

Item Code	TSS-601	TSS-602	TSS-603	TSS-604
Size	30 x 3	30 x 3	30 x 3	30 x 3
Hole Size	8 x 25	8 x 25	8 x 25	8 x 25
Length	200 mm	300 mm	400 mm	500 mm
M.R.P.	40.00	55.00	72.00	88.00



(Material Size - GP 3mm)

8 Feet - 1210 M.R.P.



(Material Size - GP 2mm)

Pipe Support Clamp - GI Channel (2 mm)

- > Easy installation
- > Installation time saving
- > More strength
- > Easy maintenance
- > Galvanized steel 2 mm
- > Channel available in different size

Item Code	TGC - 701	TGC - 702	TGC - 703	TGC - 704	TGC - 705	TGC - 706	TGC - 707
Size	155mm	230mm	305mm	375mm	450mm	525mm	600mm
Length	4	6	8	10	12	14	16
Hole Size	10 x 30	10 x 30	10 x 30	10 x 30	10 x 30	10 x 30	10 x 30
M.R.P.	94.00	135.00	176.00	225.00	264.00	311.00	350.00

Note: After placing the order for this product, the goods will be manufactured and the prevailing price of the raw material will be valid

Discount :%



Fit **Perfectly**... Hold **Tightly**....
Keep **Securely**... Where **Ever** Required...



G.I.U. WALL CLAMP

The **Technica** U Clamps are very user friendly. These clamps have been designed to give fast and convenient installation a completely new meaning. The U clamps are very easily taken into any kind of installation program.

Item Code		TUC	TUC	TUC	TUC	TUC	TUC
Size	mm	22	25	32	40	50	62
	Inch	½"	¾"	1"	1¼"	1½"	2"
Thickness & Width		1.2x18mm	1.2x18mm	1.2x18mm	1.2x23mm	1.2x23mm	1.2x23mm
M.R.P.		4.25	5.25	6.00	10.50	12.00	13.75

Item Code		TUC	TUC	TUC	TUC	TUC	TUC
Size	mm	75	90	110	125	150	200
	Inch	2½"	3"	4"	5"	6"	8"
Thickness & Width		1.2x23mm	1.2x23mm	1.2x23mm	1.2x23mm	1.2x23mm	1.2x23mm
M.R.P.		16.25	19.25	22.25	27.25	30.00	40.00

Discount :%


Channel Pipe Clamps : Universal, Rigid And EMP Pipe Clamps

Material:

Mild Steel Finished with Zinc Coating.

We Provides channel pipe clamps at very less cost to our customers. This product is works as a channel to handle the pipe. We Provide a full variety of channel pipe clamps that is exactitude manufactured and is mainly utilized for fitting trim locks clamps on steel pilfer. These are intended with the lower U-strap so the repression cannot glide toward the middle of the scam to reduce the twisting. We offer these in adapted sizes and conditions as per customer's needs. The size and weight of the pipe clamp is totally different from each other.


Item Code	D (MM)	D (INCH)	Clamp Thickness & Width	Price in ₹ Per Set
TPC-901	22	1/2"	2x32mm	37.00
TPC-902	25	3/4"	2x32mm	38.00
TPC-903	32	1"	2x32mm	42.00
TPC-904	40	1-1/4"	2x32mm	45.00
TPC-905	50	1-1/2"	2x32mm	52.00
TPC-906	63	2"	2x32mm	60.00
TPC-907	75	2-1/2"	2x32mm	65.00
TPC-908	90	3"	2x32mm	70.00
TPC-909	110	4"	2x32mm	85.00
TPC-910	125	5"	2x32mm	130.00
TPC-911	160	6"	2.5x32mm	164.00
TPC-912	200	8"	2.5x32mm	227.00
TPC-913	315	12"	2.5x32mm	980.00



Discount :%

COMPOSITE STRAP SADDLES FOR WATER (PN 16)


Technica DI SS Strap Saddles, Manufactured in MDPE 80 (Blue) Grade with threaded metal insert outlets with service connection threading size conforming to IS : 554. The Saddles are of wrap-around design, with wide skirt and wide straps support and are rated PN 16. The saddles are suitable for tapping on DI and CI Pipes. Saddle body is fastened to the pipe with SS straps and nut-bolt system. The straps are EPDM type for firm grip on pipes and to avoid metal to metal contact. The sealing between the saddle and the mains is obtained by using a profiled EPDM seal matching to the curvature of the pipe. The service connection outlet of metal insert projects out towards the pipe side and aligns with the hole drilled on the pipe to ensure positive locking against rocking or creeping on the pipe. For exact technical specifications and recommendations on use, refer Technica Specifications Manual.



D Mains Normal Size	TAPPING SIZE (THREADS ON METAL INSERT)	G	SP	D	M.R.P.
	d - ½" BSP				
100 NB	DISS100NBX050BLA	475	16	117	625.00

Note : SP-Standard pack Quality, G-Weight in Grams

STEP CLAMP



(Material Size - GP 2.5mm)

Slotted base are useful in multiple pipe lines. cables of different sizes, Easy in installation, maintenance & cleaning by comfortable approach of each lines from back side.

Item Code	TSC-801	TSC-802	TSC-803	TSC-804	TSC-805	TSC-806
Hole Size	9x100mm	9x150mm	9x200mm	9x100mm	9x150mm	9x200mm
Height	2"	2"	2"	3"	3"	3"
M.R.P.	54.00	61.00	72.00	59.00	70.00	78.00

(Note: Minimum Order Qty = 500 pcs)

GI + PC WITH FULL ANCHOR FAST SET

AC Stand

GI + PC With Full Anchor fast Set Available in 500mm and 600mm. Powered with our rich industrial expertise and experience, we offer Condensing Unit Bracket.

M.R.P. 965.00





 **TECHNICA**®©

NOTE :

- All taxes will be charged extra.
- All price are ex-factory. (extra charge)
- Packing & forwarding charges will be extra.
- Carting & Cutting charges will be extra.
- The company reserves the right to change the price, Models, Designs & Specifications without any prior notice.
- Subject to Rajkot Jurisdiction only.

Mfg. By :

TECHNICA ENTERPRISE

✉ technicaindia@yahoo.com 🌐 www.technicaindia.in

